

Jed 59

TELEFAX 29

~~SECRET~~
CENTRAL INTELLIGENCE AGENCY
INFORMATION REPORT

COUNTRY : GERMANY (Soviet Zone)

DATE DISTR. 14 APRIL 52
25X1SUBJECT :
Information on Leuna Projects

NO. OF PAGES 3

PLACE
ACQUIRED :NO. OF ENCLS. 1
(LISTED BELOW)

25X1

DATE
ACQUIREDSUPPLEMENT TO
REPORT NO.

DATE OF

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE
OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793
AND 794, OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVE-
LATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS
PROHIBITED BY LAW. THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

25X1

1.

(a) One project worked out by the KIB (Konstruktions
Ingenieurs Buro) was a plan for isobutyl fractionation, and
a copy of the KIB flow sheet, dated 9 Sep 46, for
this fractionation process. /See Enclosure (A)/ The
isobutyl fraction is sometimes referred to as "isobutyl oil";
this fraction, containing higher alcohols, is obtained in the
synthesis of methyl alcohol from carbon monoxide and
hydrogen. This project indicates that the Soviets are
interested in the production of higher alcohols

25X1

(b) The Soviets were particularly interested in K-glue, also
called Kaurit, which is a urea-formaldehyde resin. They
shipped about 15-25 tons per month from Leuna to their own
economy

25X1

The urea plant was not installed
in September 1950, but it is now in
operation. it is made of ordinary
steel, and considerable difficulty has been experienced with
corrosion. There was always a large supply of urea stored
at Leuna; it had been produced at Ludwigshafen.

2.

~~SECRET~~
SECURITY INFORMATION

NAVY X ARMY X	SECURITY INFORMATION	FBI X	
C/OSI EN ONI EN G-2 EN	DISTRIBUTION	STATE X AIR X AEC X	

25 YEAR RE-REVIEW

SECURITY INFORMATION

- 2 -

3.

4.

5.

Insecticides are produced, particularly a powder for use against lice; it was called "Sarnex".

6.

7.

8.

Dr. Gehricke and Dr. Zorn developed oils for aircraft engines. These oils were esters of higher alcohols with adipic acid. They were produced during the war and showed very little change with use, and had a low viscosity number, about 140.

9.

at Leuna, Perlon was not being produced the Research and Organic Laboratories were working on the development of Perlon thread, but they had not mastered the process by September 1950. Dr. Koethnig of the Research Laboratory had worked out a new method for caprolactam which he kept a very close secret. Dr. Fritsche and Dr. Deiters, both capable scientists, were also working in the caprolactam field. As for the production of caprolactam, phenol is hydrogenated over a catalyst at 120° C and 150 atmospheres to form cyclohexanol. This is then oxidized by a method unknown to me to produce cyclohexanone, which is treated with hydroxylamine sulfate to give the oxime. This is then treated with sulfuric acid and rearranged to give caprolactam. the production of caprolactam was about 40 tons per month, and almost all of this was taken by the Soviets.

25X1

25X1

25X1

SECRET
SECURITY INFORMATION

SECRET
SECURITY INFORMATION**-3-**

25X1

25X1

25X1


10.

There was very little research going on in the Organic Department at Leuna in the years 1945-50. The project that the Soviets were most interested in was the development of caprolactam, and on that project was expended the greatest amount of energy. The Soviets also showed interest in the development of urea production, because they needed the urea to make glue for laminated wood production. They also needed urea for the spongy resin, Iporka, used for insulating railway cars, especially refrigerator cars. 2-A oil made at Leuna is a mixture of SS906 oil and spindle oil. The SS906 oil is made by Dr Munzing in the Organic Laboratory. It is obtained by the polymerization of ethylene under pressure with aluminum chloride and then perhaps condensing with higher alcohols. The 2-A oil is a turbine oil for local Soviet Zone consumption and was not Soviet-inspired. It was developed because all available turbine oils were of inferior quality. At 50° C, it had a viscosity of 6-7 in an Engler viscosimeter.

-end-

ENCLOSURE (A) Plan for Isobutyl Fractionation
(Flow Sheet)

SECRET



Scheme of "ISOBUTYL" Fractionation - KIB 9 Sept. 76